




# Waste Classification Report

HazWasteOnline™ classifies waste as either **hazardous** or **non-hazardous** based on its chemical composition, related legislation and the rules and data defined in the current UK or EU technical guidance (Appendix C) (note that HP 9 Infectious is not assessed). It is the responsibility of the classifier named below to:

- a) understand the origin of the waste
- b) select the correct List of Waste code(s)
- c) confirm that the list of determinants, results and sampling plan are fit for purpose
- d) select and justify the chosen metal species (Appendix B)
- e) correctly apply moisture correction and other available corrections
- f) add the meta data for their user-defined substances (Appendix A)
- g) check that the classification engine is suitable with respect to the national destination of the waste (Appendix C)



V0FWQ-GSR25-H6MCD

To aid the reviewer, the laboratory results, assumptions and justifications managed by the classifier are highlighted in pale yellow.

## Job name

HWOL\_22-03400-20220207 173026

## Description/Comments

Soil and stones

## Project

WRL-CT-20222-1-03

## Site

Walshetown Restoration Ltd, Blackhall, Naas, Co. Kildare, W91CF30

## Classified by

Name: **Pamela Maleady** Company: **Walshetown Restoration Ltd**  
 Date: **08 Feb 2022 08:52 GMT** Back Gate Lodge, Killarkin  
 Telephone: **0872611679** Dunboyne, Co. Meath

HazWasteOnline™ provides a two day, hazardous waste classification course that covers the use of the software and both basic and advanced waste classification techniques. Certification has to be renewed every 3 years.

### HazWasteOnline™ Certification:

**CERTIFIED**

#### Course

Hazardous Waste Classification  
 Most recent 3 year Refresher

#### Date

11 Apr 2018  
 08 Jun 2021

Next 3 year Refresher due by Jun 2024

## Job summary

#	Sample name	Depth [m]	Classification Result	Hazard properties	WAC Results		Page
					Inert	Non Haz	
1	Soil-26/01/2022-		Hazardous	HP 7, HP 11	N/A	N/A	2

## Related documents

#	Name	Description
1	HWOL_22-03400-20220207 173026.hwol	.hwol file used to create the Job
2	Rilta Suite-1	waste stream template used to create this Job

## WAC results

WAC Settings: samples in this Job constitute a single population.

WAC limits used to evaluate the samples in this Job: "Ireland"

The WAC used in this report are the WAC defined for the inert and non-hazardous classes of landfill in the Republic of Ireland. You should check the actual acceptance criteria when the disposal site is identified as they may differ from the generic WAC used in this report.

## Report

Created by: Pamela Maleady

Created date: 08 Feb 2022 08:52 GMT

Appendices	Page
Appendix A: Classifier defined and non EU CLP determinants	6
Appendix B: Rationale for selection of metal species	7
Appendix C: Version	8



## Classification of sample: Soil-26/01/2022-

**Hazardous Waste**  
Classified as 17 05 03 \*  
in the List of Waste

## Sample details

Sample name: <b>Soil-26/01/2022-</b>	LoW Code: Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content: <b>9%</b> (wet weight correction)	Entry:	17 05 03 * (Soil and stones containing hazardous substances)

## Hazard properties

**HP 7: Carcinogenic** "waste which induces cancer or increases its incidence"

Hazard Statements hit:

**Carc. 1B; H350** "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.146%)

**HP 11: Mutagenic** "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

**Muta. 1B; H340** "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.146%)

## Determinants

Moisture content: 9% Wet Weight Moisture Correction applied (MC)

#		Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number							
1		antimony { antimony trioxide }				3.2	mg/kg	1.197	3.486	mg/kg	0.000349 %
		051-005-00-X	215-175-0	1309-64-4							✓
2		arsenic { arsenic trioxide }				28	mg/kg	1.32	33.642	mg/kg	0.00336 %
		033-003-00-0	215-481-4	1327-53-3							✓
3		boron { diboron trioxide }				1.1	mg/kg	3.22	3.223	mg/kg	0.000322 %
		005-008-00-8	215-125-8	1303-86-2							✓
4		cadmium { cadmium oxide }				0.72	mg/kg	1.142	0.748	mg/kg	0.0000748 %
		048-002-00-0	215-146-2	1306-19-0							✓
5		chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				45	mg/kg	1.462	59.851	mg/kg	0.00599 %
			215-160-9	1308-38-9							✓
6		chromium in chromium(VI) compounds { chromium(VI) oxide }				<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %
		024-001-00-0	215-607-8	1333-82-0							<LOD
7		copper { dicopper oxide; copper (I) oxide }				55	mg/kg	1.126	56.351	mg/kg	0.00564 %
		029-002-00-X	215-270-7	1317-39-1							✓
8		lead { lead chromate }			1	140	mg/kg	1.56	198.72	mg/kg	0.0127 %
		082-004-00-2	231-846-0	7758-97-6							✓
9		mercury { mercury dichloride }				0.37	mg/kg	1.353	0.456	mg/kg	0.0000456 %
		080-010-00-X	231-299-8	7487-94-7							✓



#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
10	molybdenum { molybdenum(VI) oxide }				<2 mg/kg	1.5	<3 mg/kg	<0.0003 %		<LOD
	042-001-00-9	215-204-7	1313-27-5							
11	nickel { nickel chromate }				33 mg/kg	2.976	89.377 mg/kg	0.00894 %	✓	
	028-035-00-7	238-766-5	14721-18-7							
12	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }				0.39 mg/kg	1.405	0.499 mg/kg	0.0000499 %	✓	
	034-002-00-8									
13	zinc { zinc chromate }				160 mg/kg	2.774	403.916 mg/kg	0.0404 %	✓	
	024-007-00-3	236-878-9	13530-65-9							
14	TPH (C6 to C40) petroleum group				1600 mg/kg		1456 mg/kg	0.146 %	✓	
		TPH								
15	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				<0.001 mg/kg		<0.001 mg/kg	<0.0000001 %		<LOD
	603-181-00-X	216-653-1	1634-04-4							
16	benzene				<0.001 mg/kg		<0.001 mg/kg	<0.0000001 %		<LOD
	601-020-00-8	200-753-7	71-43-2							
17	toluene				<0.001 mg/kg		<0.001 mg/kg	<0.0000001 %		<LOD
	601-021-00-3	203-625-9	108-88-3							
18	ethylbenzene				<0.001 mg/kg		<0.001 mg/kg	<0.0000001 %		<LOD
	601-023-00-4	202-849-4	100-41-4							
19	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
	006-007-00-5									
20	pH				8.9 pH		8.9 pH	8.9 pH		
		pH								
21	naphthalene				<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
	601-052-00-2	202-049-5	91-20-3							
22	acenaphthylene				<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
		205-917-1	208-96-8							
23	acenaphthene				<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
		201-469-6	83-32-9							
24	fluorene				<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
		201-695-5	86-73-7							
25	phenanthrene				2.2 mg/kg		2.002 mg/kg	0.0002 %	✓	
		201-581-5	85-01-8							
26	anthracene				0.61 mg/kg		0.555 mg/kg	0.0000555 %	✓	
		204-371-1	120-12-7							
27	fluoranthene				3.1 mg/kg		2.821 mg/kg	0.000282 %	✓	
		205-912-4	206-44-0							
28	pyrene				2.8 mg/kg		2.548 mg/kg	0.000255 %	✓	
		204-927-3	129-00-0							
29	benzo[a]anthracene				1.2 mg/kg		1.092 mg/kg	0.000109 %	✓	
	601-033-00-9	200-280-6	56-55-3							
30	chrysene				1.6 mg/kg		1.456 mg/kg	0.000146 %	✓	
	601-048-00-0	205-923-4	218-01-9							
31	benzo[b]fluoranthene				1.5 mg/kg		1.365 mg/kg	0.000137 %	✓	
	601-034-00-4	205-911-9	205-99-2							
32	benzo[k]fluoranthene				0.71 mg/kg		0.646 mg/kg	0.0000646 %	✓	
	601-036-00-5	205-916-6	207-08-9							
33	benzo[a]pyrene; benzo[def]chrysene				1.6 mg/kg		1.456 mg/kg	0.000146 %	✓	
	601-032-00-3	200-028-5	50-32-8							
34	indeno[1,2,3-cd]pyrene				<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
		205-893-2	193-39-5							
35	dibenz[a,h]anthracene				<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
	601-041-00-2	200-181-8	53-70-3							
36	benzo[ghi]perylene				<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD
		205-883-8	191-24-2							



#		Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number							
37	•	polychlorobiphenyls; PCB 602-039-00-4	215-648-1	1336-36-3		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %
38	•	barium { • barium sulphide }	016-002-00-X	244-214-4		140	mg/kg	1.233	157.147	mg/kg	0.0157 %
39	•	coronene		205-881-7		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %
40	•	monohydric phenols				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %
41		xylene	601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]	<0.002	mg/kg		<0.002	mg/kg	<0.0000002 %
										Total:	0.241 %

## Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- Hazardous result
- Determinand defined or amended by HazWasteOnline (see Appendix A)
- Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD Below limit of detection
- ND Not detected
- CLP: Note 1 Only the metal concentration has been used for classification

## Supplementary Hazardous Property Information

**HP 3(i): Flammable** "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because The material tested has no liquid phase (soil and stones). The levels of TPH present are below the 10,000mg/kg which is the levels at which a material should be considered hazardous. Therefore, the material is not deemed to be flammable.

Hazard Statements hit:

**Flam. Liq. 3; H226** "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.146%)

**WAC results for sample: Soil-26/01/2022-**

WAC Settings: samples in this Job constitute a single population.

WAC limits used to evaluate this sample: "Ireland"

The WAC used in this report are the WAC defined for the inert and non-hazardous classes of landfill in the Republic of Ireland. You should check the actual acceptance criteria when the disposal site is identified as they may differ from the generic WAC used in this report.

None of the WAC limits can be applied to this sample.

**WAC Determinands**

Solid Waste Analysis				Landfill Waste Acceptance Criteria Limits	
#	Determinand	Unit	User entered data	Inert waste landfill	Non hazardous waste landfill
1	TOC (total organic carbon)	%	1.3	3	5
2	LOI (loss on ignition)	%	3.5	-	-
3	BTEX (benzene, toluene, ethylbenzene and xylenes)	mg/kg	<0.01	6	-
4	PCBs (polychlorinated biphenyls, 7 congeners)	mg/kg	<0.1	1	-
5	Mineral oil (C10 to C40)	mg/kg	1600	500	-
6	PAHs (polycyclic aromatic hydrocarbons)	mg/kg	15	100	-
7	pH	pH	8.9	-	>6
8	ANC (acid neutralisation capacity)	mol/kg	0.037	-	-
Eluate Analysis 10:1					
9	arsenic	mg/kg	0.062	0.5	2
10	barium	mg/kg	0.16	20	100
11	cadmium	mg/kg	<0.0001	0.04	1
12	chromium	mg/kg	0.013	0.5	10
13	copper	mg/kg	0.038	2	50
14	mercury	mg/kg	<5.0e-05	0.01	0.2
15	molybdenum	mg/kg	0.088	0.5	10
16	nickel	mg/kg	0.0063	0.4	10
17	lead	mg/kg	<0.0005	0.5	10
18	antimony	mg/kg	0.052	0.06	0.7
19	selenium	mg/kg	0.014	0.1	0.5
20	zinc	mg/kg	<0.0025	4	50
21	chloride	mg/kg	20	800	15,000
22	fluoride	mg/kg	9.7	10	150
23	sulphate	mg/kg	2300	1,000	20,000
24	phenol index	mg/kg	<0.3	1	-
25	DOC (dissolved organic carbon)	mg/kg	65	500	800
26	TDS (total dissolved solids)	mg/kg	3600	4,000	60,000

**Key**

User supplied data

Not applicable

Inert WAC criteria fail



### Appendix A: Classifier defined and non EU CLP determinants

#### • **chromium(III) oxide (worst case)** (EC Number: 215-160-9, CAS Number: 1308-38-9)

Description/Comments: Data from C&L Inventory Database

Data source: <https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discl/details/33806>

Data source date: 17 Jul 2015

Hazard Statements: Acute Tox. 4; H332, Acute Tox. 4; H302, Eye Irrit. 2; H319, STOT SE 3; H335, Skin Irrit. 2; H315, Resp. Sens. 1; H334, Skin Sens. 1; H317, Repr. 1B; H360FD, Aquatic Acute 1; H400, Aquatic Chronic 1; H410

#### • **TPH (C6 to C40) petroleum group** (CAS Number: TPH)

Description/Comments: Hazard statements taken from WM3 1st Edition 2015; Risk phrases: WM2 3rd Edition 2013

Data source: WM3 1st Edition 2015

Data source date: 25 May 2015

Hazard Statements: Flam. Liq. 3; H226, Asp. Tox. 1; H304, STOT RE 2; H373, Muta. 1B; H340, Carc. 1B; H350, Repr. 2; H361d, Aquatic Chronic 2; H411

#### • **ethylbenzene** (EC Number: 202-849-4, CAS Number: 100-41-4)

EU CLP index number: 601-023-00-4

Description/Comments:

Additional Hazard Statement(s): Carc. 2; H351

Reason for additional Hazards Statement(s):

03 Jun 2015 - Carc. 2; H351 hazard statement sourced from: IARC Group 2B (77) 2000

#### • **salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex**

EU CLP index number: 006-007-00-5

Description/Comments: Conversion factor based on a worst case compound: sodium cyanide

Additional Hazard Statement(s): EUH032 >= 0.2 %

Reason for additional Hazards Statement(s):

14 Dec 2015 - EUH032 >= 0.2 % hazard statement sourced from: WM3, Table C12.2

#### • **pH** (CAS Number: PH)

Description/Comments: Appendix C4

Data source: WM3 1st Edition 2015

Data source date: 25 May 2015

Hazard Statements: None.

#### • **acenaphthylene** (EC Number: 205-917-1, CAS Number: 208-96-8)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 17 Jul 2015

Hazard Statements: Acute Tox. 4; H302, Acute Tox. 1; H330, Acute Tox. 1; H310, Eye Irrit. 2; H319, STOT SE 3; H335, Skin Irrit. 2; H315

#### • **acenaphthene** (EC Number: 201-469-6, CAS Number: 83-32-9)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 17 Jul 2015

Hazard Statements: Eye Irrit. 2; H319, STOT SE 3; H335, Skin Irrit. 2; H315, Aquatic Acute 1; H400, Aquatic Chronic 1; H410, Aquatic Chronic 2; H411

#### • **fluorene** (EC Number: 201-695-5, CAS Number: 86-73-7)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 06 Aug 2015

Hazard Statements: Aquatic Acute 1; H400, Aquatic Chronic 1; H410

#### • **phenanthrene** (EC Number: 201-581-5, CAS Number: 85-01-8)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 06 Aug 2015

Hazard Statements: Acute Tox. 4; H302, Eye Irrit. 2; H319, STOT SE 3; H335, Carc. 2; H351, Skin Sens. 1; H317, Aquatic Acute 1; H400, Aquatic Chronic 1; H410, Skin Irrit. 2; H315

#### • **anthracene** (EC Number: 204-371-1, CAS Number: 120-12-7)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 17 Jul 2015

Hazard Statements: Eye Irrit. 2; H319, STOT SE 3; H335, Skin Irrit. 2; H315, Skin Sens. 1; H317, Aquatic Acute 1; H400, Aquatic Chronic 1; H410



### fluoranthene (EC Number: 205-912-4, CAS Number: 206-44-0)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 21 Aug 2015

Hazard Statements: Acute Tox. 4; H302 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

### pyrene (EC Number: 204-927-3, CAS Number: 129-00-0)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 2014

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 21 Aug 2015

Hazard Statements: Skin Irrit. 2; H315 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

### indeno[123-cd]pyrene (EC Number: 205-893-2, CAS Number: 193-39-5)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 06 Aug 2015

Hazard Statements: Carc. 2; H351

### benzo[ghi]perylene (EC Number: 205-883-8, CAS Number: 191-24-2)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 28/02/2015

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 23 Jul 2015

Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

### polychlorobiphenyls; PCB (EC Number: 215-648-1, CAS Number: 1336-36-3)

EU CLP index number: 602-039-00-4

Description/Comments: Worst Case: IARC considers PCB Group 1; Carcinogenic to humans; POP specific threshold from ATP1 (Regulation 756/2010/EU) to POPs Regulation (Regulation 850/2004/EC). Where applicable, the calculation method laid down in European standards EN 12766-1 and EN 12766-2 shall be applied.

Additional Hazard Statement(s): Carc. 1A; H350

Reason for additional Hazards Statement(s):

29 Sep 2015 - Carc. 1A; H350 hazard statement sourced from: IARC Group 1 (23, Sup 7, 100C) 2012

### barium sulphide (EC Number: 244-214-4, CAS Number: 21109-95-5)

EU CLP index number: 016-002-00-X

Description/Comments:

Additional Hazard Statement(s): EUH031 >= 0.8 %

Reason for additional Hazards Statement(s):

14 Dec 2015 - EUH031 >= 0.8 % hazard statement sourced from: WM3, Table C12.2

### coronene (EC Number: 205-881-7, CAS Number: 191-07-1)

Description/Comments: Data from C&L Inventory Database; no entries in Registered Substances or Pesticides Properties databases; SDS: Sigma Aldrich, 1907/2006 compliant, dated 2012 - no entries; IARC – Group 3, not carcinogenic.

Data source: <http://clp-inventory.echa.europa.eu/SummaryOfClassAndLabelling.aspx?SubstanceID=17010&HarmOnly=no?fc=true&lang=en>

Data source date: 16 Jun 2014

Hazard Statements: STOT SE 2; H371

### monohydric phenols (CAS Number: P1186)

Description/Comments: Combined hazards statements from harmonised entries in CLP for phenol, cresols and xylenols (604-001-00-2, 604-004-00-9, 604-006-00-X)

Data source: CLP combined data

Data source date: 26 Mar 2019

Hazard Statements: Muta. 2; H341 , Acute Tox. 3; H331 , Acute Tox. 3; H311 , Acute Tox. 3; H301 , STOT RE 2; H373 , Skin Corr. 1B; H314 , Skin Corr. 1B; H314 >= 3 % , Skin Irrit. 2; H315 1 £ conc. < 3 % , Eye Irrit. 2; H319 1 £ conc. < 3 % , Aquatic Chronic 2; H411

## Appendix B: Rationale for selection of metal species

### antimony {antimony trioxide}

Worst case CLP species based on hazard statements/molecular weight and low solubility. Industrial sources include: flame retardants in electrical apparatus, textiles and coatings (edit as required)

### arsenic {arsenic trioxide}

Reasonable case CLP species based on hazard statements/molecular weight and most common (stable) oxide of arsenic. Industrial sources include: smelting; main precursor to other arsenic compounds (edit as required)

### boron {diboron trioxide}

Reasonable case CLP species based on hazard statements/ molecular weight, physical form and low solubility. Industrial sources include: fluxing agent for glass/enamels; additive for fibre optics, borosilicate glass (edit as required)



### **cadmium {cadmium oxide}**

Reasonable case CLP species based on hazard statements/molecular weight, very low solubility in water. Industrial sources include: electroplating baths, electrodes for storage batteries, catalysts, ceramic glazes, phosphors, pigments and nematocides. (edit as required) Worst case compounds in CLP: cadmium sulphate, chloride, fluoride & iodide not expected as either very soluble and/or compound's industrial usage not related to site history (edit as required)

### **chromium in chromium(III) compounds {chromium(III) oxide (worst case)}**

Reasonable case species based on hazard statements/molecular weight. Industrial sources include: tanning, pigment in paint, inks and glass (edit as required)

### **chromium in chromium(VI) compounds {chromium(VI) oxide}**

Worst case CLP species based on hazard statements/molecular weight. Industrial sources include: production stainless steel, electroplating, wood preservation, anti-corrosion agents or coatings, pigments (edit as required)

### **copper {dicopper oxide; copper (I) oxide}**

Reasonable case CLP species based on hazard statements/molecular weight and insolubility in water. Industrial sources include: oxidised copper metal, brake pads, pigments, antifouling paints, fungicide. (edit as required) Worse case copper sulphate is very soluble and likely to have been leached away if ever present and/or not enough soluble sulphate detected. (edit as required)

### **lead {lead chromate}**

Worst case CLP species based on hazard statements/molecular weight (edit as required)

### **mercury {mercury dichloride}**

Worst case CLP species based on hazard statements/molecular weight (edit as required)

### **molybdenum {molybdenum(VI) oxide}**

Worst case CLP species based on hazard statements/molecular weight (edit as required)

### **nickel {nickel chromate}**

Worst case CLP species based on hazard statements/molecular weight (edit as required)

### **selenium {selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex}**

Harmonised group entry used as most reasonable case. Pigment cadmium sulphoselenide not likely to be present in this soil. No evidence for the other CLP entries: sodium selenite, nickel II selenite and nickel selenide, to be present in this soil. (edit as required)

### **zinc {zinc chromate}**

Worst case CLP species based on hazard statements/molecular weight (edit as required)

### **cyanides {salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex}**

Harmonised group entry used as most reasonable case as complex cyanides and those specified elsewhere in the annex are not likely to be present in this soil: [Note conversion factor based on a worst case compound: sodium cyanide] (edit as required)

### **barium {barium sulphide}**

Reported chromate concentrations are insufficient for Chromium VI species to be present. Therefore, barium sulphide has been chosen as worst case species in this scenario.

## **Appendix C: Version**

HazWasteOnline Classification Engine: WM3 1st Edition v1.1.NI - Jan 2021

HazWasteOnline Classification Engine Version: 2022.25.4995.9469 (25 Jan 2022)

HazWasteOnline Database: 2022.25.4995.9469 (25 Jan 2022)



This classification utilises the following guidance and legislation:

**WM3 v1.1.NI - Waste Classification** - 1st Edition v1.1.NI - Jan 2021

**CLP Regulation** - Regulation 1272/2008/EC of 16 December 2008

**1st ATP** - Regulation 790/2009/EC of 10 August 2009

**2nd ATP** - Regulation 286/2011/EC of 10 March 2011

**3rd ATP** - Regulation 618/2012/EU of 10 July 2012

**4th ATP** - Regulation 487/2013/EU of 8 May 2013

**Correction to 1st ATP** - Regulation 758/2013/EU of 7 August 2013

**5th ATP** - Regulation 944/2013/EU of 2 October 2013

**6th ATP** - Regulation 605/2014/EU of 5 June 2014

**WFD Annex III replacement** - Regulation 1357/2014/EU of 18 December 2014

**Revised List of Waste 2014** - Decision 2014/955/EU of 18 December 2014

**7th ATP** - Regulation 2015/1221/EU of 24 July 2015

**8th ATP** - Regulation (EU) 2016/918 of 19 May 2016

**9th ATP** - Regulation (EU) 2016/1179 of 19 July 2016

**10th ATP** - Regulation (EU) 2017/776 of 4 May 2017

**HP14 amendment** - Regulation (EU) 2017/997 of 8 June 2017

**13th ATP** - Regulation (EU) 2018/1480 of 4 October 2018

**14th ATP** - Regulation (EU) 2020/217 of 4 October 2019

**15th ATP** - Regulation (EU) 2020/1182 of 19 May 2020

**The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)(Amendment etc.) (EU Exit)**

**Regulations 2020** - UK: 2020 No. 1567 of 16th December 2020

**The Waste and Environmental Permitting etc. (Legislative Functions and Amendment etc.) (EU Exit) Regulations 2020** - UK:

2020 No. 1540 of 16th December 2020

**17th ATP** - Regulation (EU) 2021/849 of 11 March 2021