

Unit 7-8 Hawarden Business Park Manor Road (off Manor Lane) Hawarden Deeside CH5 3US

Tel: (01244) 528777

email: hawardencustomerservices@alsglobal.com Website: www.alsenvironmental.co.uk

ENVA Smithstown Industrial Estate Shannon Co. Clare

Attention: Linda Scanlon

CERTIFICATE OF ANALYSIS

Date of report Generation: 24 July 2023 **Customer: ENVA** Sample Delivery Group (SDG): 230706-86

Your Reference:

Location: Not Specified Report No: 697640 Order Number: EI-POR0051732

This report has been revised and directly supersedes 695945 in its entirety.

We received 1 sample on Thursday July 06, 2023 and 1 of these samples were scheduled for analysis which was completed on Monday July 24, 2023. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data

Chemical testing (unless subcontracted) performed at ALS Laboratories (UK) Limited Hawarden.

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

Sonia McWhan Operations Manager







Validated

SDG: 230706-86 Client Ref.: Report Number: 697640 Location: Not Specified Superseded Report: 695945

Received Sample Overview

 Lab Sample No(s)
 Customer Sample Ref.
 AGS Ref.
 Depth (m)
 Sampled Date

 28284407
 ENVA-S/A-7712
 EW*
 0.00 - 0.00
 07/05/2023

Only received samples which have had analysis scheduled will be shown on the following pages.

Validated

CERTIFICATE OF ANALYSIS

ALS

SDG: 230706-86 Client Ref.: Report Number: 697640 Location: Not Specified Superseded Report: 695945

Lab Sample	No(s)		28284407
			ENVA-S/A-7712
AGS Refere	ence		EW*
Depth (n	n)		0.00 - 0.00
Containe	er	250ml Amber Gl. PTFE/PE (ALE219)	H2SO4 (ALE244)
Sample Ty	/pe	표	표
All	NDPs: 0 Tests: 1		Х
All	NDPs: 0 Tests: 1	Х	
	Custome Sample Refe AGS Refere Depth (n Containe Sample Ty	Tests: 1 All NDPs: 0	Customer Sample Reference AGS Reference Depth (m) Container Sample Type All NDPs: 0 Tests: 1 All NDPs: 0 Tests: 1





SDG: 230706-86 Client Ref.:

Report Number: 697640

Superseded Report: 695945 Location: Not Specified

Provide Leavest	0 1	0 1 0 1				
# ISO17025 accredited. # ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfiltTotal / unfiltered sample. Subcontracted - refer to subcontractor repaccreditation status. " recovery of the surrogate standard to chefficiency of the method. The results of ind compounds within samples aren't correcte recovery [F] Trigger breach confirmed 14+96 Sample deviation (see appendix)	ort for eck the ividual d for the	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref b Sample No.(s) AGS Reference	0.00 - 0.00 Trade Effluent (TE) 07/05/2023 06/07/2023 230706-86 28284407 EW*			
Component	LOD/Units	Method				
Oil and Grease*	mg/l	SUB	2.02			
Total Extractable Compounds	mg/l	SUB	2.02			
Total Petroleum Hydrocarbons*	mg/l	SUB	0.686			
Phenol	<0.002 mg/l	TM259	<0.002 @#			
Cresols	<0.006 mg/l	TM259	<0.006 @#			
Xylenols	<0.008 mg/l	TM259	<0.008			
Phenols, Total Detected monohydric	<0.016 mg/l	TM259	@# <0.016			
			@#			



Validated

SDG: 230706-86 **Client Ref**.:

Report Number: 697640 Location: Not Specified Superseded Report: 695945

Table of Results - Appendix

Method No	Description
SUB	Subcontracted Test
TM259	Determination of Phenols in Waters and Leachates by HPLC

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Laboratories (UK) Limited Hawarden (Method codes TM).



Validated

SDG: 230706-86 **Client Ref**.:

Report Number: 697640 Location: Not Specified Superseded Report: 695945

Test Completion Dates

Lab Sample No(s)	28284407
Customer Sample Ref.	ENVA-S/A-7712
AGS Ref.	EW*
Depth	0.00 - 0.00
Туре	Trade Effluent
Phenols by HPLC (W)	12-Jul-2023
TPH by IR Oils and Greases (W)*	24-Jul-2023



: PR2376074 Issue Date : 24-Jul-2023 **Work Order**

Customer : ALS Laboratories (UK) Limited Laboratory : ALS Czech Republic, s.r.o.

Contact : ALS Hawarden Reporting Contact : Client Service

Address Address : Na Harfe 336/9 Prague 9 - Vysocany : Unit 7-8 Hawarden Business Park

> 190 00 Czech Republic Manor Road, Hawarden

CH5 3US Deeside

E-mail : euhdnsubconresults@ALSGlobal.com E-mail : customer.support@alsglobal.com

Telephone Telephone : +420 226 226 228

Project Page : 230706-86 : 1 of 2 : 14-Jul-2023 Order number

Date Samples Received

Quote number : PR2023ALSEC-GB0001

(CZ-256-23-0236)

Date of test Site : 14-Jul-2023 - 24-Jul-2023

Sampled by : customer QC Level : ALS CR Standard Quality Control

Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory.

The laboratory declares that the test results relate only to the listed samples. If the section "Sampled by" of the Certificate of analysis states: "Sampled by Customer" then the results relate to the sample as received.

Responsible for accuracy

Testing Laboratory No. 1163 Accredited by CAI according to CSN EN ISO/IEC 17025:2018

Signatories Lubomír Pokorný **Position** Country Manager







The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

 Issue Date
 : 24-Jul-2023

 Page
 : 2 of 2

 Work Order
 : PR2376074





Analytical Results

Sub-Matrix: EFFLUENT		Cli	ent sample ID	28295378 ENVA-S/A-7712					
		Laborate	ory sample ID	PR2376074001					
	(Client sampli	ing date / time	08-Jul-2023	09:20				
Parameter	Method	LOR	Unit	Result	ми	Result	MU	Result	MU
Agregate Parameters									
Total Extractable Compounds	W-TECD-IR	0.050	mg/L	2.02	± 20.0%				
Oil and Grease	W-TECD-IR	0.050	mg/L	2.02	± 20.0%				
Petroleum Hydrocarbons - FTIR									
Total Petroleum Hydrocarbons	W-TPH-IR	0.050	mg/L	0.686	± 20.0%				

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.

Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

The end of result part of the certificate of analysis

Brief Method Summaries

Analytical Methods	Method Descriptions			
Location of test performan	nce: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00			
W-TECD-IR	CZ_SOP_D06_02_059 (CSN 75 7506:2006, STN 83 0520-27:2015, STN 83 0540-4, SS 028145, D/S 209, SFS 3010)			
	Determination of extractable substances by infrared spectrometry and calculation of polar extractable substances from			
	measured values.			
W-TPH-IR	CZ_SOP_D06_02_057 (ČSN 75 7505:2006, SS 028145, STN 83 0520-27:2015, STN 83 0530-36, STN 830540-4, US EPA			
	Method 418., SM 5520 F, DS/R 209, SFS 3010) Determination of nonpolar extractive substances by infrared spectrometry			
	and calculation of polar extractive substances from measured values			

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.

The method for calculating of the summation parameters is available on request in the customer service.



SDG: Client Ref: 230706-86 Report Number: 697640 Location: Not Specified

Appendix General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

- 2. If sufficient sample is received a sub sample will be retained free of charge for 15 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.
- 3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.
- 4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.
- 5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.
- 6. NDP No determination possible due to insufficient/unsuitable sample.
- 7. Results relate only to the items tested.
- 8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.
- 9. Surrogate recoveries Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.
- 10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.
- 11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.
- 12. For dried and crushed preparations of soils volatile loss may occur e.g volatile mercury
- 13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.
- 14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.
- 15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogran is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.
- 16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.
- 17 Data retention. All records, communications and reports pertaining to the analysis are archived for seven years from the date of issue of the final report.

18. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

Superseded Report: 695945

19. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
4	Matrix interference
•	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples
§	Sampled on date not provided

20. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2021), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials and soils are obtained from supplied bulk materials andd soils which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2021).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining.

Asbe stos Type	Common Name
Chrysof le	White Asbesbs
Amosite	BrownAsbestos
Cro a dolite	Blue Asbe stos
Fibrous Act nolite	-
Fib to us Anthop hyll ite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Respirable Fibres

Respirable fibres are defined as fibres of <3 μ m diameter, longer than 5 μ m and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.